



ALL KIND OF NON FERROUS METAL & EARTHING MATERIAL MERCHANT

+91-997-861-5837

www.royalprojects.co.in

royalproject2016@gmail.com

Shop No. 31/32, Om Arcade, Near Toll Tax, Sanand Ahmedabad-382110, Gujarat, India

|| Jay Baba Ramdev ||



- ▶ Premium Quality
- ▶ Fast Service
- ▶ Best Rate






GI Chemical Earthing Rod



Copper Bonded & Pure Copper Chemical Earthing Rod



Size 40mm 1mtr.
Size 40mm 2mtr.
Size 40mm 3mtr.

Size 50mm 1mtr.
Size 50mm 2mtr.
Size 50mm 3mtr.

Size 60mm 1mtr.
Size 60mm 2mtr.
Size 60mm 3mtr.

Size 80mm 2mtr.
Size 80mm 3mtr.

Size 100mm 3mtr.

Chemical Bag 15kg / 25kg




Earthing Strip Sleeve Cover

All size available




Copper Fecisbal Strip

All size available



Earthing Chamber

All size available



CI Chamber

PVC Chamber

Strip / Pipe Clamp

All size available




Lightning Arrester



Size 25mm Pipe 1mtr.
Size 25mm Pipe 2mtr.



Lightning Arrester
Size 17mm 1mtr. Solid Rod
Size 25mm 1mtr. Solid Rod



- Copper Bonded Solid Earthing Rod
- Size 17mm 1mtr.
 - Size 17mm 2mtr.
 - Size 17mm 3mtr.
 - Size 20mm 1mtr.
 - Size 20mm 2mtr.
 - Size 20mm 3mtr.
 - Size 25mm 1mtr.
 - Size 25mm 2mtr.
 - Size 25mm 3mtr.



Solar Earthing Kit




Solar Set Kit
Size 14mm 1.5mtr. 3 Pieces
Size 17mm 1mtr. Lighting Arrester and PVC Pipe
Chemical Bag : 15kg



GI Funnel Pipe



GI B Class Funnel Pipe



Lighting Pole



GI Strip & Flat



GI & GP Pipe
All Size Available



Lighting Pole




GI Wire



aluminum bus bar
& Strip All Size Available

- COPPER** : Basbar, Patti, Wire, Earthing Plate, Flexible Braided Strip, Sheet, Rod, Pipe, Erester Available In All Size And Gauges.
- G.I.PATTI** : 25 X 3- 25 X 5 - 32 X 6 40 X 6- 50 X 6 (in Available Ready Stock) Hot Deep Galvanize Will Make In Order.
- G.I. PLATE** : Earthing Plate, C.I & M.s. In Electro & Hot Deep Galvanize Available In All Size.
- G.I. PIPE** : Watering Earthing Pipe With Hole & Fennel 20 mm, 25mm, 40mm, 50mm, 2mit, & 3mit, ready available in Stock.
- G.I. WIRE** : G.I. Wire available in all guage.
- C.I.CHAMBER COVER:** 12"x12"-18"-24" x 24" Henges with lock & Plane
- ALLUMINIUM** : Basbar Patti, Flatbar, Wire, Sheet Plate, Pipe, Section Coil and Rod available in all sizes and guages.
- BRASS** : Sheet, Plate, Rod, Patti, Pipes, Wire, etc.
- STAINLESS STEEL** : Sheet, Plate, Coil, Patti, Pata, Rod, Pipes Angles all in 304, 316, 321 quality available, Nut-Bolt, Pipe Fitting & Flanges.
- LEAD** : Sheet, Plate, Pies available.



Copper Soled Rod



Copper Wire




GI Casting Plate & GI MS Plate



Earthing Plate & Pipe Strip Set



Copper Earthing Plate
All size available
1mm, 2mm, 3mm, 5mm, 6mm



Operating Rod



Earthing Spreeng



Copper Strip



GI Perforated Cable Tray & Lather type



GI Hot Dip Earthing Rod

WEGHT OF G.I. STRIP / KG. / MT.

Width mm	Thick mm	Weight Kg. Gms	Width mm	Thick mm	Weight Kg. Gms
25	X 3	0.600	65	X 10	5.100
25	X 6	1.200	65	X 12	6.120
32	X 6	1.500	75	X 6	3.530
32	X 3	0.750	75	X 10	5.890
40	X 6	1.880	75	X 12	7.070
50	X 6	2.500	100	X 6	4.710
50	X 10	3.930	100	X 10	7.850
50	X 12	4.710	100	X 10	9.420
65	X 6	3.060			

WEGHT G.I. WIRE / KG. / MT.

Width mm	Thick mm	Weight Kg. Gms	Width mm	Thick mm	Weight Kg. Gms
4	X 5.892	0.216	12	X 2.641	0.045
6	X 4.876	0.148	14	X 2.032	0.026
8	X 4.046	0.103	16	X 1.625	0.017
10	X 3.251	0.066	18	X 1.250	0.010

SIZE OF G.I. PLATE

300 X 300 X 5 mm	600 X 600 X 6 mm
450 X 450 X 5mm	600 X 600 X 10 mm
600 X 600 X 5mm	600 X 600 X 12 mm

C.I. CHAMBER COVER (Hanges with Lock)

mm	Inch	mm	Inch
300 X 300	12 X 12	450 X 450	18 X 18

C.I. CHAMBER COVER

mm	Inch	mm	mm
250 X 250	10 X 10	450 X 450	18 X 18
300 X 300	12 X 12	600 X 600	24 X 24

CABLE TRAY

SIZE	LENGTH	GAUGE
50 X 25	2.5 Mtr.	16 & 18 Gauge
50 X 50	2.5 Mtr.	16 & 18 Gauge
50 X 75	2.5 Mtr.	16 & 18 Gauge
100 X 25	2.5 Mtr.?	16 & 18 Gauge
100 X 50	2.5 Mtr.	16 & 18 Gauge
100 X 75	?2.5 Mtr.	16 & 18 Gauge?
150 X 25	2.5 Mtr.	16 & 18 Gauge
150 X 50	2.5 Mtr.?	16 & 18 Gauge?
150 X 75	2.5 Mtr.	16 & 18 Gauge
200 X 25	2.5 Mtr.?	16 & 18 Gauge
200 X 50	2.5 Mtr.	16 & 18 Gauge
200 X 75	2.5 Mtr.?	16 & 18 Gauge
300 X 25	2.5 Mtr.?	16 & 18 Gauge
300 X 50	2.5 Mtr.	16 & 18 Gauge
300 X 75	2.5 Mtr.	16 & 18 Gauge?
400 X 50	2.5 Mtr.	16 & 18 Gauge
500 X 50	2.5 Mtr.	16 & 18 Gauge
600 X 50	2.5 Mtr.	16 & 18 Gauge

WEGHT OF COPPER STRIP / KG. / MT.

Width mm	Thick mm	Weight Kg. Gms	Width mm	Thick mm	Weight Kg. Gms
12	X 3	0.380	50	X 3	1.522
12	X 5	0.570	50	X 5	2.262
12	X 6	0.761	50	X 6	3.044
19	X 3	0.570	50	X 10	4.527
19	X 5	0.856	50	X 12	6.089
19	X 6	1.141	50	X 16	7.611
25	X 3	0.761	62	X 6	3.805
25	X 5	1.14	62	X 10	5.708
25	X 6	1.522	62	X 12	7.611
25	X 10	2.263	62	X 16	9.515
25	X 12	3.044	75	X 6	4.567
32	X 3	0.952	75	X 10	6.850
32	X 5	1.427	75	X 12	9.134
32	X 6	1.903	75	X 16	11.417
32	X 10	2.854	100	X 6	6.089
38	X 3	1.141	100	X 10	9.055
38	X 5	1.712	100	X 12	12.179
38	X 6	2.283	100	X 16	15.223
38	X 10	3.425	125	X 6	7.609
38	X 12	4.567	125	X 10	11.414
38	X 12	5.708	125	X 12	15.219
38	X 16	5.708	150	X 6	9.131
			150	X 10	13.697
			150	X 12	18.263
			150	X 16	22.833

WEGHT OF COPPER WIRE KG/MT

Guage	mm	Weight Kg. Gms	Guage	mm	Weight Kg. Gms
3	6.400	0.287	12	X 2.640	0.049
6	4.876	0.166	14	X 2.032	0.027
8	4.064	0.116	16	X 1.625	0.018
10	3.231	0.075	18	X 1.214	0.010

WEGHT OF COPPER WIRE KG/MT

Width mm	Thick mm	Weight Kg. Gms	Guage	mm	Weight Kg. Gms
150 X 150 X 3		0.671	300 X 300 X 3		2.685
225 X 225 X 3		1.458	450 X 450 X 3		5.832
600 X 600 X 3		10.740	600 X 600 X 6		21.480